



Red Coolant Concentrate

INTERNATIONAL
LUBRICANT COMPANY



PRODUCT CODE	PACK SIZE	CARTON QTY
RCC.01	1L	6
RCC.05	5L	3
RCC.20	20L	1
RCC.70	70L	1
RCC.208	208L	1
RCC.100	1000L	1

DESCRIPTION

International Lubricant Company's Red Concentrated Coolant is an Anti-Freeze, Anti-Boil, Long Life organic (Organic Acid Technology, OAT) Type "A" fluid. Formulated with **NO Phosphates, NO Amines, NO Silicates, NO Borates, NO Nitrites and NO Nitrates** allowing outstanding protection from corrosion, rust or cavitation in a cooling system.

APPLICATIONS

ILC's Red Coolant is designed to be used up to 6 years/600,000 kms in a wide range of OEM applications from American, European, Japanese in passenger cars, light & heavy duty vehicles, 4WD's, Off-Road equipment. Ideally suited as a 50/50 ratio dilution.

BENEFITS

- Outstanding rust and corrosion protection.
- Contains No Phosphate, No Nitrite, No Amine.
- 6 Year/600 000 km service life.
- Suits a wide range of applications.

APPROVALS & SPECIFICATIONS

AS 2108.1 : Type A	Honda	Mitsubishi ES-X64217	Skoda
ASTM D3306	Hyundai	Nissan NES M5059	SEAT
Audi	Jaguar M97B44-D	Opel B 040 1065	Subaru
Bentley	JIS K 2234	Porsche	VW
BMW	JASO M325	Renault 41-01-001Q Type D	Vauxhall
Ford WSS M97B44-D	Land Rover	SAE J 1034	Volvo
Holden/GM 6277M/1825M/1899M	Lexus	SAAB GM 6277M	

(Check owners manual before use)

TYPICAL CHARACTERISTICS

Glycol by Weight (gm/L)	Density (Concentrate)	Boiling Point (50% by Vol.)	Freeze Point (50% by Vol.)
1.1100	1.1099 kg/L	108.2°C	-36.2°C

Updated Jan 2017